

CAMINUS-S



Posted on July 31, 2024 by admin



70007

OUTDOOR

RECESSED

DIMMABLE

CASAMBI

WIRELESS

ALEXA, SIRI

GOOGLE

RGB

OTHER COLOUR TEMPERATURES

Power Rating1,3 W**Life Span**50.000 h**LED Colour**White, RGB**Beam Angle**100°**Input Voltage**24 VDC**Material (Housing)**Stainless Steel**Glass Material**Tempered Glass**Working Temperature**-25°C +50°C**Dimension (without installation box)**100 x 100 x 70 mm**Cable Interconnect**Power cable: 2 x 1.0 mm²Signal cable: 4 x 0,3 mm²

rubber cable

ControlON/OFF, DMX512**IP**IP67**Luminous Flux**75 lm

10001

Caminus-s100x10024V1'3W2700KOpal

10001

Caminus-s100x10024V1'3W3000KOpal

10001

Caminus-s100x10024V1'3WRGBOpal

Accessories

70007.A.1 Caminus Leader cable 4m for monocolor

70007.A.2 Caminus Jumper cable 1m for monocolor

70007.A.3 Caminus endcap for monocolor

RGB Accessories upon request

Driver not included - See drivers section

Control system and special drivers upon request

Custom projects upon request

