## **IPSOFACTO-A 95 HE**



Posted on June 25, 2024 by admin



10008

**INDOOR** 

**RECESSED** 

ALEXA, SIRI, GOOGLE

**DIMMABLE** 

**CASAMBI** 

**WIRELESS** 

**Installation**Indoor

Mounting PositionCeiling recessed

**IP**20

**Driver**Not included

Dimmable ON/OFF, DALI, PUSH

**CRI**>90

**Life Time**L80/B10 >55.000 h

Cut-out SizeØ85 mm

**Dimensions**Ø95 mm

Adjustable+/- 20°

**Wattage**5W

**Lumen Output**750

Connection150mA

Dimensions@95 h99mm

Cut-out SizeØ85 h109mm

Wattage8,6W

**Lumen Output**1200

Connection250mA

Dimensions@95 h126mm

Cut-out SizeØ85 h136mm

10001

## NumberWColour TemperatureLight DistributionFinishDim

10008527 2700K 1 Narrow 15°10 WhiteXXX Driver not included (See drivers section)

930 3000K 2 Medium 25°20 Black

40 4000K 3 Wide 39° 4 Superwide 61°

**10001.A.20.99** Spread lens

**10001.A.10.99** Oval lens

10001.A.30.99 Honeycomb Louvre