

GOOD NIGHT


LUMIK Suspended

# FILUM 55


LKS1 01

GOOD NIGHT

Suspended




<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 50.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	5W 9W	<b>Dimensions</b>	Ø55 h250mm
<b>Lumen output</b>	700 1200	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimmable on request)		



LKS101.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS101	5	27 2700	1 Narrow 12°	○ 10 White	● MO Metallic Copper
	9	30 3000	2 Medium 24°	● 20 Black	● NO Metallic Gold
		40 4000	3 Wide 36°	● 40 Gold	● PO Metallic Chrome
				● CO Silver	RA RAL Chart
				● BO Copper	

Suspended




# FILUM 55 GU10


LKS1 01

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	GU10
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	GU10
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	GU10	<b>Dimensions</b>	Ø55 h250mm
<b>Lumen output</b>	GU10	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKS101.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS101	GU10	XX Depending on lamp	XX Depending on lamp	<ul style="list-style-type: none"> <li>○ 10 White</li> <li>● 20 Black</li> <li>● 40 Gold</li> <li>● CO Silver</li> <li>● BO Copper</li> <li>● MO Metallic Copper</li> <li>● NO Metallic Gold</li> <li>● PO Metallic Chrome</li> <li>RA RAL Chart</li> </ul>

# FILUM 90

LKS1 02

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE



CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 50.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	12W 17W 24W	<b>Dimensions</b>	Ø90 h250mm
<b>Lumen output</b>	2100 2900 3900	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimnable on request)		



LKS102.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS102	12	27 2700	1 Narrow 12°	○ 10 White	● MO Metallic Copper
	17	30 3000	2 Medium 24°	● 20 Black	● NO Metallic Gold
	24	40 4000	3 Wide 36°	● 40 Gold	● PO Metallic Chrome
				● CO Silver	RA RAL Chart
				● BO Copper	



# FILUM 90 GU10

LKS1 02

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE



CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	GU10
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	GU10
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	GU10	<b>Dimensions</b>	Ø90 h250mm
<b>Lumen output</b>	GU10	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKS102.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS102	GU10	XX Depending on lamp	XX Depending on lamp	<ul style="list-style-type: none"> <li>○ 10 White</li> <li>● 20 Black</li> <li>● 40 Gold</li> <li>● CO Silver</li> <li>● BO Copper</li> <li>● MO Metallic Copper</li> <li>● NO Metallic Gold</li> <li>● PO Metallic Chrome</li> <li>RA RAL Chart</li> </ul>

Suspended




# FILUM 120 GU10

LKS1 03

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	GU10
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	GU10
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	GU10	<b>Dimensions</b>	Ø120 h280mm
<b>Lumen output</b>	GU10	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKS103.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS103	GU10	XX Depending on lamp	XX Depending on lamp	<ul style="list-style-type: none"> <li>○ 10 White</li> <li>● 20 Black</li> <li>● 40 Gold</li> <li>● CO Silver</li> <li>● BO Copper</li> <li>● MO Metallic Copper</li> <li>● NO Metallic Gold</li> <li>● PO Metallic Chrome</li> <li>RA RAL Chart</li> </ul>





# FILUM 120

LKS1 03

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE



CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 50.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	12W 17W 24W	<b>Dimensions</b>	Ø120 h280mm
<b>Lumen output</b>	2100 2900 3900	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimnable on request)		



LKS103.\*\*.\*\*.\*\*


Number	W	Colour Temperature	Light Distribution	Finish	
LKS103	12	27 2700	1 Narrow 12°	○ 10 White	● MO Metallic Copper
	17	30 3000	2 Medium 24°	● 20 Black	● NO Metallic Gold
	24	40 4000	3 Wide 36°	● 40 Gold	● PO Metallic Chrome
				● CO Silver	RA RAL Chart
				● BO Copper	

FILUM 2525

LKS2 01 250mm

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 50.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	5W	<b>Dimensions</b>	Ø25 h250mm
<b>Lumen output</b>	600	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimmmable on request)		



LKS201.\*\*.\*\*.\*\*


Number	W	Colour Temperature	Light Distribution	Finish
LKS201	5	27 2700	2 Medium 24°	10 White            MO Metallic Copper
		30 3000		20 Black            NO Metallic Gold            40 Gold            PO Metallic Chrome            CO Silver           RA RAL Chart            BO Copper

# FILUM 2550


LKS2 02 500mm

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 50.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	5W	<b>Dimensions</b>	Ø25 h500mm
<b>Lumen output</b>	600	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimnable on request)		



LKS202.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS202	5	27 2700	2 Medium 24°	10 White            MO Metallic Copper
		30 3000		20 Black            NO Metallic Gold            40 Gold            PO Metallic Chrome            CO Silver            BO Copper           RA RAL Chart

Suspended




# FILUM 2575

LKS2 03 750mm

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 72.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	5W	<b>Dimensions</b>	Ø25 h750mm
<b>Lumen output</b>	600	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimmmable on request)		



LKS203.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS203	5	27 2700	2 Medium 24°	10 White            MO Metallic Copper
		30 3000		20 Black            NO Metallic Gold
				40 Gold            PO Metallic Chrome
				CO Silver           RA RAL Chart
				BO Copper

Suspended




# QUATTUOR 600

LKS3 19 586mm


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor			
<b>Mounting Position</b>	Suspended			
<b>IP</b>	20			
<b>Wattage</b>	8,2W	12,3W	17,6W	
<b>Lumen output</b>	1400	2000	2700	
<b>Connection</b>	230V			
<b>Driver</b>	Included			
<b>Dimmable</b>	on/off (dimmable on request)			

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	586x35 h35mm
<b>Adjustable</b>	No



LKS319.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS319	8	27 2700		10 White 20 Black 40 Gold CO Silver BO Copper	MO Metallic Copper NO Metallic Gold PO Metallic Chrome RA RAL Chart
	12	30 3000			
	17	40 4000			






# QUATTUOR 900

LKS3 20 866mm


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	12W 18W 26W
<b>Lumen output</b>	2100 3000 4000
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimmable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	866x35 h35mm
<b>Adjustable</b>	No



LKS320.\*\*.\*\*.\*\*


Number	W	Colour Temperature	Light Distribution	Finish	
LKS320	12	27 2700	<b>6</b> Opal 120°	<b>10</b> White	<b>MO</b> Metallic Copper
	18	30 3000		<b>20</b> Black	<b>NO</b> Metallic Gold
	26	40 4000		<b>40</b> Gold	<b>PO</b> Metallic Chrome
				<b>CO</b> Silver	<b>RA</b> RAL Chart
				<b>BO</b> Copper	

# QUATTUOR 1200

LKS3 21 1146mm


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	16W 24W 35W
<b>Lumen output</b>	2800 4000 5400
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimmable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	1146x35 h35mm
<b>Adjustable</b>	No



LKS320.\*\*.\*\*.\*\*


Number	W	Colour Temperature	Light Distribution	Finish
LKS320	16	27 2700	6 Opal 120°	<ul style="list-style-type: none"> <li> 10 White</li> <li> 20 Black</li> <li> 40 Gold</li> <li> CO Silver</li> <li> BO Copper</li> </ul>
	24	30 3000		<ul style="list-style-type: none"> <li> MO Metallic Copper</li> <li> NO Metallic Gold</li> <li> PO Metallic Chrome</li> </ul>
	35	40 4000		<ul style="list-style-type: none"> <li>RA RAL Chart</li> </ul>

# PASTILLUM FARTUM 600


LKS4 22 646mm

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	> 90
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	L80 / B10 72.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	9W 14W 19W	<b>Dimensions</b>	646x47,5 h125mm
<b>Lumen output</b>	1600 2200 3000	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Included		
<b>Dimmable</b>	on/off (dimnable on request)		



LKS422.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish										
LKS422	9	27 2700	6 Opal 120°	<table border="0"> <tr> <td>○ 10 White</td> <td>● MO Metallic Copper</td> </tr> <tr> <td>● 20 Black</td> <td>● NO Metallic Gold</td> </tr> <tr> <td>● 40 Gold</td> <td>● PO Metallic Chrome</td> </tr> <tr> <td>● CO Silver</td> <td>RA RAL Chart</td> </tr> <tr> <td>● BO Copper</td> <td></td> </tr> </table>	○ 10 White	● MO Metallic Copper	● 20 Black	● NO Metallic Gold	● 40 Gold	● PO Metallic Chrome	● CO Silver	RA RAL Chart	● BO Copper	
○ 10 White	● MO Metallic Copper													
● 20 Black	● NO Metallic Gold													
● 40 Gold	● PO Metallic Chrome													
● CO Silver	RA RAL Chart													
● BO Copper														
	14	30 3000												
	19	40 4000												

Suspended




# PASTILLUM FARTUM 900

LKS4 23 926mm


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	13W 19W 28W
<b>Lumen output</b>	2300 3200 4300
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimnable on request)


<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	926x47,5 h125mm
<b>Adjustable</b>	No



LKS423.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS423	13	27 2700		10 White 20 Black 40 Gold CO Silver BO Copper	MO Metallic Copper NO Metallic Gold PO Metallic Chrome RA RAL Chart
	19	30 3000			
	28	40 4000			






# PASTILLUM FARTUM 1200

LKS4 24 1206mm


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	17W 25W 36W
<b>Lumen output</b>	2800 4200 5700
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimnable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	1206x47,5 h125mm
<b>Adjustable</b>	No



LKS424.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish										
LKS424	17	27 2700	6 Opal 120°	<table border="0"> <tr> <td>○ 10 White</td> <td>● MO Metallic Copper</td> </tr> <tr> <td>● 20 Black</td> <td>● NO Metallic Gold</td> </tr> <tr> <td>● 40 Gold</td> <td>● PO Metallic Chrome</td> </tr> <tr> <td>● CO Silver</td> <td>RA RAL Chart</td> </tr> <tr> <td>● BO Copper</td> <td></td> </tr> </table>	○ 10 White	● MO Metallic Copper	● 20 Black	● NO Metallic Gold	● 40 Gold	● PO Metallic Chrome	● CO Silver	RA RAL Chart	● BO Copper	
○ 10 White	● MO Metallic Copper													
● 20 Black	● NO Metallic Gold													
● 40 Gold	● PO Metallic Chrome													
● CO Silver	RA RAL Chart													
● BO Copper														
	25	30 3000												
	36	40 4000												









# QUINQUE 600

LKS5 16 586mm UP & DOWN


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	2 x 8W   2 x 12W   2 x 18W
<b>Lumen output</b>	2 x 1400   2 x 2000   2 x 2700
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimnable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	586x43,5 h100mm
<b>Adjustable</b>	No




LKS516.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS516	8	27 2700	6 Opal 120° (Up & Down)	10 White	MO Metallic Copper
	12	30 3000		20 Black	NO Metallic Gold
	18	40 4000		40 Gold	PO Metallic Chrome
				CO Silver	RA RAL Chart
				BO Copper	



Suspended





# QUINQUE 900

LKS5 17 866mm UP & DOWN


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	2 x 12W 2 x 18W 2 x 26W
<b>Lumen output</b>	2 x 2100 2 x 3000 2 x 4100
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimmable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	866x43,5 h100mm
<b>Adjustable</b>	No



LKS517.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish	
LKS517	12	27 2700		10 White 20 Black 40 Gold CO Silver BO Copper	MO Metallic Copper NO Metallic Gold PO Metallic Chrome RA RAL Chart
	18	30 3000			
	26	40 4000			




# QUINQUE 1200

LKS5 18 1146mm UP & DOWN


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	2 x 16W   2 x 24W   2 x 35W
<b>Lumen output</b>	2 x 2800   2 x 4000   2 x 5400
<b>Connection</b>	230V
<b>Driver</b>	Included
<b>Dimmable</b>	on/off (dimmable on request)

<b>CRI</b>	> 90
<b>Life Time</b>	L80 / B10 72.000 h
<b>Cut-out Size</b>	-
<b>Dimensions</b>	1146x43,5 h100mm
<b>Adjustable</b>	No



LKS518.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKS518	16	27 2700	6 Opal 120° (Up & Down)	10 White      MO Metallic Copper
	24	30 3000		20 Black      NO Metallic Gold
	35	40 4000		40 Gold      PO Metallic Chrome CO Silver     RA RAL Chart BO Copper




# GUTTA PENDULUS GU10

LKC6 01


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	GU10
<b>Lumen output</b>	GU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	Depending on lamp

<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Cut-out Size</b>	-
<b>Dimensions</b>	Ø120 h100mm
<b>Adjustable</b>	No



LKC601.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC601	GU10	XX Depending on lamp	XX Depending on lamp	<ul style="list-style-type: none"> <li>○ 10 White</li> <li>● 20 Black</li> <li>● 40 Gold</li> <li>● CO Silver</li> <li>● BO Copper</li> <li>● MO Metallic Copper</li> <li>● NO Metallic Gold</li> <li>● PO Metallic Chrome</li> <li>RA RAL Chart</li> </ul>




# NOLA GUTTA 370

LKC1 01


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	max 50W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	Depending on lamp

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Cut-out Size</b>	-
<b>Dimensions</b>	Ø370 h266mm
<b>Adjustable</b>	No



LKC101.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC101	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



Suspended




# NOLA GUTTA 300

LKC1 02


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	max 50W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	Depending on lamp


<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Cut-out Size</b>	-
<b>Dimensions</b>	Ø300 h235mm
<b>Adjustable</b>	No



LKC102.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC102	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>

Suspended



# NOLA SICCO 3927

LKC1 03

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE




CASAMBI




WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø390 h270mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC103.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC103	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



# NOLA BASIC 3716


LKC1 04

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø370 h160mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC104.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC104	E27	XX	XX	<i>Exterior &amp; Interior</i> ☉ 11 White & White      Ⓜ MN Metal Copper & Metal Copper ● 21 Black & White      Ⓝ NN Metal Gold & Metal Gold ● 22 Black & Black      Ⓟ PP Metal Chrome & Metal Chrome ● 24 Black & Gold ● 44 Gold & Gold ● AA Corten & Corten RA RAL chart Other combinations on request




# NOLA BASIC 1608


LKC1 05

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø160 h80mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC105.\*\*.\*.\*.\*\*


Number	W	Colour Temperature	Light Distribution	Finish
LKC105	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>

# NOLA CONUS 2527


LKC2 01

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø250 h270mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC201.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC201	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>




# NOLA CONUS 1517

LKC2 02


GOOD NIGHT

Suspended



<b>Installation</b>	Indoor
<b>Mounting Position</b>	Suspended
<b>IP</b>	20
<b>Wattage</b>	max 50W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	Depending on lamp

<b>CRI</b>	E27
<b>Life Time L70</b>	E27
<b>Cut-out Size</b>	-
<b>Dimensions</b>	Ø155 h172mm
<b>Adjustable</b>	No



LKC202.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC202	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>





Suspended




# NOLA CLASSIC 3517


LKC3 01

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø350 h175mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC3 01.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC301	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> <li>RA RAL chart</li> <li>Other combinations on request</li> </ul>

Suspended




# NOLA CLASSIC 2813



LKC3 02

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø283 h134mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC302.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC302	E27	XX	XX	<i>Exterior &amp; Interior</i> ◎ 11 White & White      ◎ MN Metal Copper & Metal Copper ● 21 Black & White      ◎ NN Metal Gold & Metal Gold ◎ 22 Black & Black      ◎ PP Metal Chrome & Metal Chrome ● 24 Black & Gold      RA RAL chart ◎ 44 Gold & Gold      Other combinations on request ◎ AA Corten & Corten




# NOLA INDUSTRIAE 4726


LKC3 03

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø475 h260mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC303.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC303	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>




# NOLA NORDIC 4619


LKC3 04

GOOD NIGHT

Suspended



Installation	Indoor	CRI	E27
Mounting Position	Suspended	Life Time L70	E27
IP	20	Cut-out Size	-
Wattage	max 50W	Dimensions	Ø460 h195mm
Lumen output	E27	Adjustable	No
Connection	230V		
Driver	Not required		
Dimmable	Depending on lamp		



LKC304.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC304	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



# NOLA BONN 2322

LKC4 01

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE




CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø235 h220mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		




LKC401.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC401	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> <li>RA RAL chart</li> <li>Other combinations on request</li> </ul>



Suspended




# NOLA CAUPONA 1616


LKC4 02

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø163 h166mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC402.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC402	E27	XX	XX	<i>Exterior &amp; Interior</i> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



# NOLA CAUPONA 2722

LKC4 03

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE




CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø270 h228mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC403.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC403	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



# NOLA CAUPONA 3127

LKC4 04

GOOD NIGHT

Suspended



INDOOR

SUSPENDED



DIMMABLE




CASAMBI



WIRELESS

<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø315 h270mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC404.\*\*.\*\*.\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC404	E27	XX	XX	<i>Exterior &amp; Interior</i> ☉ 11 White & White      Ⓜ MN Metal Copper & Metal Copper ● 21 Black & White      Ⓝ NN Metal Gold & Metal Gold ● 22 Black & Black      Ⓟ PP Metal Chrome & Metal Chrome ● 24 Black & Gold ● 44 Gold & Gold ● AA Corten & Corten RA RAL chart Other combinations on request



Suspended




# NOLA SINA 5217


LKC5 01

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø522 h175mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC501.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC501	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>● MN Metal Copper &amp; Metal Copper</li> <li>● NN Metal Gold &amp; Metal Gold</li> <li>● PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>



Suspended




# NOLA VOLANS 3216


LKC6 01

GOOD NIGHT

Suspended



<b>Installation</b>	Indoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Suspended	<b>Life Time L70</b>	E27
<b>IP</b>	20	<b>Cut-out Size</b>	-
<b>Wattage</b>	max 50W	<b>Dimensions</b>	Ø328 h162mm
<b>Lumen output</b>	E27	<b>Adjustable</b>	No
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	Depending on lamp		



LKC601.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
LKC601	E27	XX	XX	<p><i>Exterior &amp; Interior</i></p> <ul style="list-style-type: none"> <li>⊙ 11 White &amp; White</li> <li>● 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>● 24 Black &amp; Gold</li> <li>⊙ 44 Gold &amp; Gold</li> <li>● AA Corten &amp; Corten</li> <li>⊙ MN Metal Copper &amp; Metal Copper</li> <li>⊙ NN Metal Gold &amp; Metal Gold</li> <li>⊙ PP Metal Chrome &amp; Metal Chrome</li> </ul> <p>RA RAL chart</p> <p>Other combinations on request</p>





Suspended

