

Big Minimus


418

GOOD NIGHT




Compact Profiles



The series is growing. New demands for our MINIMUS range forced us to increase the size of the profile for those rooms where more wattage is required. This new dimension also makes it possible to integrate water proof connectors (IP) within the profile itself. Also in those designs in which requirements demanded greater flexibility and which needed more solutions. The BIG helps us complete any space, no matter how complex, and nowadays, the whole MINIMUS series ended up being essential to solve many designs and adapt to all kind of budgets.



Bracket detail



Big Minimus

418

GOOD NIGHT

Surface

1. Profile


Reference	Description	Mounting	Finish
418.00.M	Big Minimus	Surface	● 30 Aluminium

2. Driver

See drivers section

3. Endcap

Reference	Description
418.11	Endcap (2 units)



4. Fixations / Mounting Kits

Reference	Description
418.21	Fixation clip

*IP 67 connectors available upon request



5. LED Strip

Reference	Description	K	IP	LED Pitch	width	Wattage	Density	Flux	Minimus
40806.27.20.M	LEDstrip teM 4,8W 2700K IP20 60/C90/4mm	2700K	20	50	4	4,8	60	450	●
40806.30.20.M	LEDstrip teM 4,8W 3000K IP20 60/C90/4mm	3000K	20	50	4	4,8	60	450	●
40806.40.20.M	LEDstrip teM 4,8W 4000K IP20 60/C90/4mm	4000K	20	50	4	4,8	60	450	●
40509.22.20.M	LEDstrip Tem-9,6W 2200K IP20 120/C80/8mm	2200K	20	10	8	9,6	120	840	●
40509.27.20.M	LEDstrip Tem-9,6W 2700K IP20 120/C80/8mm	2700K	20	10	8	9,6	120	840	●
40509.30.20.M	LEDstrip Tem-9,6W 3000K IP20 120/C80/8mm	3000K	20	10	8	9,6	120	840	●
40509.40.20.M	LEDstrip Tem-9,6W 4000K IP20 120/C80/8mm	4000K	20	10	8	9,6	120	840	●
40514.24.20.M	LEDstrip Tem-14,4W 2400K IP20 120/C80/8mm	2400K	20	10	8	14,4	120	1300	●
40514.27.20.M	LEDstrip Tem-14,4W 2700K IP20 120/C80/8mm	2700K	20	10	8	14,4	120	1300	●
40514.30.20.M	LEDstrip Tem-14,4W 3000K IP20 120/C80/8mm	3000K	20	10	8	14,4	120	1300	●
40514.40.20.M	LEDstrip Tem-14,4W 4000K IP20 120/C80/8mm	4000K	20	10	8	14,4	120	1300	●
40614.24.20.M	LEDstrip Tem-14,4W 2400K IP20 182/C90/8mm	2400K	20	33	8	14,4	182	1400	●
40614.27.20.M	LEDstrip Tem-14,4W 2700K IP20 182/C90/8mm	2700K	20	33	8	14,4	182	1400	●
40614.30.20.M	LEDstrip Tem-14,4W 3000K IP20 182/C90/8mm	3000K	20	33	8	14,4	182	1400	●
40614.40.20.M	LEDstrip Tem-14,4W 4000K IP20 182/C90/8mm	4000K	20	33	8	14,4	182	1400	●
40619.24.20.M	LEDstrip Tem-19,2W 2400K IP20 240/C90/10mm	2400K	20	25	10	19,2	240	2300	●
40619.27.20.M	LEDstrip Tem-19,2W 2700K IP20 240/C90/10mm	2700K	20	25	10	19,2	240	2300	●
40619.30.20.M	LEDstrip Tem-19,2W 3000K IP20 240/C90/10mm	3000K	20	25	10	19,2	240	2300	●
40619.40.20.M	LEDstrip Tem-19,2W 4000K IP20 240/C90/10mm	4000K	20	25	10	19,2	240	2300	●
40314.24.65.M	LEDstrip Nix-14,4W 2400K IP65	2400K	65		10	14,4	120	1000	●
40619.24.67.M	LEDstrip Tem-19,2W 2400K IP67 240/C90/10mm	2400K	67	25	12	19,2	240	2300	●
40619.27.67.M	LEDstrip Tem-19,2W 2700K IP67 240/C90/10mm	2700K	67	25	12	19,2	240	2300	●
40619.30.67.M	LEDstrip Tem-19,2W 3000K IP67 240/C90/10mm	3000K	67	25	12	19,2	240	2300	●
40619.40.67.M	LEDstrip Tem-19,2W 4000K IP67 240/C90/10mm	4000K	67	25	12	19,2	240	2300	●
40324.24.65.M	LEDstrip Nix-24W 2400K IP65	2400K	20		10	24	120	1800	●
40707.RGB.20.M	LEDstrip Cet- RGB 7,5W IP20 120/5mm	RGB	20	50	5	7,5	120	335	●
40712.RGB.20.M	LEDstrip Cet- RGB 12W IP20 60/10mm	RGB	20	100	10	12,0	60	370	●
40714.RGB.20.M	LEDstrip Cet- RGB 14W IP20 120/10mm	RGB	20	50	10	14,0	120	670	●
40717.RGBW.20.M	LEDstrip Cet- RGBW 17,4W IP20 60/12mm	RGBW	20	100	12	17,4	60	836	●
40719.RGBW.20.M	LEDstrip Cet- RGBW 19,2W IP20 240/12mm	RGBW	20	50	12	19,2	240	900	●
40712.RGB.67.M	LEDstrip Cet- RGB 12W IP67 60/12mm	RGB	67	100	12	12	60	320	●
40714.RGB.65.M	LEDstrip Cet- RGB 14W IP65 120/12mm	RGB	65	50	12	14	120	630	●
40717.RGBW.65.M	LEDstrip Cet- RGBW 17,4W IP65 60/14mm	RGBW	65	100	12	17	60	815	●

- Possible combination
- Possible but external connection between the wire and the LED strip



LA MALLORQUINA / PROJECT: FRANCESC PONS

Reference	Description	K	IP	LED Pitch	width	Wattage	Density	Flux	Cubus-2	Cubus-2 upright	Minimus	Minimus-r	Abscondere	Trahea	Aresta	Murus	Flexibilis	Totus	Angulus	Refundus	Big refundus	Supellex	Opticus-2	Elis	Macro	Mitis
40806.27.20.M	LEDstrip teM 4,8W 2700K IP20 60/C90/4mm	2700K	20	50	4	4,8	60	450	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40806.30.20.M	LEDstrip teM 4,8W 3000K IP20 60/C90/4mm	3000K	20	50	4	4,8	60	450	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40806.40.20.M	LEDstrip teM 4,8W 4000K IP20 60/C90/4mm	4000K	20	50	4	4,8	60	450	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40810.27.20.M	LEDstrip teM 9,6W 2700K IP20 60/C90/4mm	2700K	20	50	4	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40810.30.20.M	LEDstrip teM 9,6W 3000K IP20 60/C90/4mm	3000K	20	50	4	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40810.40.20.M	LEDstrip teM 9,6W 4000K IP20 60/C90/4mm	4000K	20	50	4	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40509.22.20.M	LEDstrip Tem-9,6W 2200K IP20 120/C80/8mm	2200K	20	10	8	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40509.27.20.M	LEDstrip Tem-9,6W 2700K IP20 120/C80/8mm	2700K	20	10	8	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40509.30.20.M	LEDstrip Tem-9,6W 3000K IP20 120/C80/8mm	3000K	20	10	8	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40509.40.20.M	LEDstrip Tem-9,6W 4000K IP20 120/C80/8mm	4000K	20	10	8	9,6	120	840	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40514.24.20.M	LEDstrip Tem-14,4W 2400K IP20 120/C80/8mm	2400K	20	10	8	14,4	120	1300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40514.27.20.M	LEDstrip Tem-14,4W 2700K IP20 120/C80/8mm	2700K	20	10	8	14,4	120	1300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40514.30.20.M	LEDstrip Tem-14,4W 3000K IP20 120/C80/8mm	3000K	20	10	8	14,4	120	1300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40514.40.20.M	LEDstrip Tem-14,4W 4000K IP20 120/C80/8mm	4000K	20	10	8	14,4	120	1300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40614.24.20.M	LEDstrip Tem-14,4W 2400K IP20 182/C90/8mm	2400K	20	33	8	14,4	182	1400	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40614.27.20.M	LEDstrip Tem-14,4W 2700K IP20 182/C90/8mm	2700K	20	33	8	14,4	182	1400	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40614.30.20.M	LEDstrip Tem-14,4W 3000K IP20 182/C90/8mm	3000K	20	33	8	14,4	182	1400	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40614.40.20.M	LEDstrip Tem-14,4W 4000K IP20 182/C90/8mm	4000K	20	33	8	14,4	182	1400	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.24.20.M	LEDstrip Tem-19,2W 2400K IP20 240/C90/10mm	2400K	20	25	10	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.27.20.M	LEDstrip Tem-19,2W 2700K IP20 240/C90/10mm	2700K	20	25	10	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.30.20.M	LEDstrip Tem-19,2W 3000K IP20 240/C90/10mm	3000K	20	25	10	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.40.20.M	LEDstrip Tem-19,2W 4000K IP20 240/C90/10mm	4000K	20	25	10	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40314.24.65.M	LEDstrip Nix-14,4W 2400K IP65	2400K	65		10	14,4	120	1000	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.24.67.M	LEDstrip Tem-19,2W 2400K IP67 240/C90/10mm	2400K	67	25	12	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.27.67.M	LEDstrip Tem-19,2W 2700K IP67 240/C90/10mm	2700K	67	25	12	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.30.67.M	LEDstrip Tem-19,2W 3000K IP67 240/C90/10mm	3000K	67	25	12	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40619.40.67.M	LEDstrip Tem-19,2W 4000K IP67 240/C90/10mm	4000K	67	25	12	19,2	240	2300	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40324.24.65.M	LEDstrip Nix-24W 2400K IP65	2400K	20		10	24	120	1800	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40707.RGB.20.M	LEDstrip Cet- RGB 7,5W IP20 120/5mm	RGB	20	50	5	7,5	120	335	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40712.RGB.20.M	LEDstrip Cet- RGB 12W IP20 60/10mm	RGB	20	100	10	12,0	60	370	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40714.RGB.20.M	LEDstrip Cet- RGB 14W IP20 120/10mm	RGB	20	50	10	14,0	120	670	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40717.RGBW.20.M	LEDstrip Cet- RGBW 17,4W IP20 60/12mm	RGBW	20	100	12	17,4	60	836	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40719.RGBW.20.M	LEDstrip Cet- RGBW 19,2W IP20 240/12mm	RGBW	20	50	12	19,2	240	900	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40712.RGB.67.M	LEDstrip Cet- RGB 12W IP67 60/12mm	RGB	67	100	12	12	60	320	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40714.RGB.65.M	LEDstrip Cet- RGB 14W IP65 120/12mm	RGB	65	50	12	14	120	630	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40717.RGBW.65.M	LEDstrip Cet- RGBW 17,4W IP65 60/14mm	RGBW	65	100	12	17	60	815	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

- Not possible
- Possible combination
- Possible but external connection between the wire and the LED strip