

A close-up photograph of a brass lampshade. The lampshade features a complex geometric frame made of thick brass rods that intersect to form a series of overlapping diamond and rectangular shapes. The surface of the lampshade is covered in fine, radial lines that create a sunburst or fan-like pattern. In the center of the lampshade, there is a circular inset with concentric rings. The lighting is dramatic, highlighting the metallic texture and the intricate details of the design.

**GOOD NIGHT**

Lighting Special Products

SINGULAR PRODUCTS

Orichalcum





## Orichalcum

From nature to man. This family of products is made 100% with one of nature's most noble materials: brass. With multiple designs and up to a total of six finishes, along with the natural brass finish (which will age over time), ORICHALCUM becomes a useful, practical, beautiful, and essential product for many spaces. Enjoy it, you'll want to repeat.

*De la naturaleza al hombre. Esta familia de productos está confeccionada al 100% con uno de los materiales nobles que la Naturaleza nos ofrece: el latón. Con múltiples diseños y hasta un total de seis acabados, junto con el de latón natural (que envejecerá con el tiempo), ORICHALCUM se convierte en un producto útil, práctico, bello e imprescindible para muchos espacios. Disfrútalo, repetirás.*





Product  
Elements of the page

Product  
name

Balnearis  
10007

GOOD NIGHT  
Recessed

Image



Technical  
information

<b>Installation</b>	Indoor	<b>CRI</b>	>90
<b>Mounting Position</b>	Ceiling recessed	<b>Life Time</b>	40.000 h
<b>IP</b>	20	<b>Cut-out Size</b>	Ø75 h80mm
<b>Wattage</b>	12W	<b>Dimensions</b>	Ø85 h70mm
<b>Lumen Output</b>	900	<b>Adjustable</b>	No
<b>Connection</b>	300mA		
<b>Driver</b>	Included remote		
<b>Dimmable*</b>	ON/OFF, DALI, PUSH (dimmable drivers on request)		



1000712,\*\*.5,10

Product  
reference

Number	W	Colour Temperature	Light Distribution	Finish	Dim
10007	12	27 2700 30 3000	5 Asymetric 50°	10 White	<b>NDI*</b> Driver included (non-dimmable) Dimmable driver upon request

Symbols

Range of uses

- Indoor
- Suspended
- Outdoor
- Track
- Ceiling Recessed
- Spike
- Wall Recessed
- Ground recessed
- Surface
- Wall surface

Light distribution

- 1 Narrow
- 2 Medium
- 3 Wide
- 4 Superwide
- 5 Asymetric
- 5D Double asymetric
- 5L Asymetric left
- 5R Asymetric right
- 6 Opal
- 7A 50°x50°
- 7B 70°x70°
- 8 Elyptical
- 9 Zoom



Reference composition

Reference example

Reference example

GOOD NIGHT
GOOD NIGHT

10001.\*\*.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
10001	11	27 2700	<div style="display: flex; gap: 5px;"> <div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; background-color: black; border: 1px solid black;"></span> <span>1 Narrow 20°</span> </div> <div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; background-color: black; border: 1px solid black;"></span> <span>2 Medium 40°</span> </div> <div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; background-color: yellow; border: 1px solid black;"></span> <span>4 Superwide 60°</span> </div> </div>	<div style="display: flex; gap: 10px;"> <div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; border: 1px solid black; border-radius: 50%;"></span> <span>10 White</span> </div> <div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; background-color: black; border-radius: 50%;"></span> <span>20 Black</span> </div> </div>
	15	30 3000		

10501.GU10.XX.X.90

Number	W	Colour Temperature	Light Distribution	Finish
10501	GU10	XX	X	<div style="display: flex; align-items: center; gap: 2px;"> <span style="width: 10px; height: 10px; border: 1px solid black; border-radius: 50%;"></span> <span>90 Gypsum</span> </div>

10001.11.27.4.10

10501.GU10.XX.X.90

**Finishings**

- |   |  |   |
|---|--|---|
| <ul style="list-style-type: none"> <li>○ 10 White</li> <li>⊙ 11 White &amp; White</li> <li>◐ 12 White &amp; Black</li> <li>◑ 14 White &amp; Gold</li> <li>○ 17 White &amp; Chrome</li> <li>◐ 18 White &amp; Copper</li> <li>● 20 Black</li> </ul> | <ul style="list-style-type: none"> <li>⊙ 21 Black &amp; White</li> <li>⊙ 22 Black &amp; Black</li> <li>◐ 24 Black &amp; Gold</li> <li>● 26 Black &amp; Dark Grey</li> <li>● 30 Aluminium</li> <li>◐ 32 Aluminium &amp; Black</li> <li>● 40 Gold</li> </ul> | <ul style="list-style-type: none"> <li>● 60 Dark Grey</li> <li>◐ 66 Dark Grey &amp; Dark Grey</li> <li>● 70 Chrome</li> <li>● 80 Inox</li> <li>○ 90 Gypsum</li> </ul> |
|---|--|---|

**Control**

- Wireless
- Alexa, Siri, Google
- Casambi
- Dimmable

**Special LED**

- Other colour temperatures
- Special LED food and others
- Biodynamic
- Digital RGB
- RGB



Orichalcum **New**

Surface



Turtur  
page 7



Nubilus  
page 8



Lacerta  
page 9



Drako  
page 10



Clura  
page 11



Papilio  
page 13



Crocodilus  
page 14



Talpa  
page 15



Vistrum  
page 17



Prandium  
page 18



Camelum  
page 19



Candidus  
page 20



Pharus  
page 21



Antillus  
page 22



Clinatus  
page 23



Proclivis  
page 24



Promptus  
page 25



Iugatus  
page 26



Cluens  
page 27



Ambactus  
page 28




Situs  
page 29



Cloccarium  
page 30



Velum  
page 31



Lama  
page 32



Loculus  
page 33



Lustrum  
page 34



Pignus  
page 35




Fabulari  
page 37



Formosus  
page 38



Ervum  
page 39



Orichalcum  
Supplementum  
page 40





Turtur


70001

GOOD NIGHT









Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	64	<b>Dimensions</b>	200x140 h100mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70001.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70001	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>







Nubilus

70002


GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	222x106 h100mm
<b>Adjustable</b>	No



70002.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70002	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>





Lacerta

70003


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø140 h52mm
<b>Adjustable</b>	No



70003.30.\*\*.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
70003	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Drako

70004


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	65
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø140 h52mm
<b>Adjustable</b>	No



70004.E27.XX.4.\*



Number	W	Colour Temperature	Light Distribution	Finish
70004	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Clura

70005


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø175 h94mm
<b>Adjustable</b>	No



70005.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70005	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>






Papilio

70006


GOOD NIGHT

Orichalcum Surface












<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø175 h99mm
<b>Adjustable</b>	No





70006.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70006	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Option with grille





<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø218 h105mm
<b>Adjustable</b>	No



70007.E27.XX.4.\*


Number	W	Colour Temperature	Light Distribution	Finish
70007	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Talpa

70008


GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	G9
<b>Lumen output</b>	G9
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	G9


<b>CRI</b>	G9
<b>Life Time</b>	G9
<b>Dimensions</b>	Ø140 h53mm
<b>Adjustable</b>	No



70008.G9.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70008	G9	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Orichalcum Surface






Vistrum

70009


GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	G9
<b>Lumen output</b>	G9
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	G9

<b>CRI</b>	G9
<b>Life Time</b>	G9
<b>Dimensions</b>	Ø140 h62mm
<b>Adjustable</b>	No



70009.G9.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70009	G9	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




# Prandium

70010


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø175 h102mm
<b>Adjustable</b>	No



70010.E27.XX.4.\*


Number	W	Colour Temperature	Light Distribution	Finish
70010	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Camelum


70011

GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	64	<b>Dimensions</b>	Ø81x154 h113mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70011.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70011	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>





Candidus

70012


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	-
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	-

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø93x191 h170mm
<b>Adjustable</b>	No



70012.E27.XX.4.\*


Number	W	Colour Temperature	Light Distribution	Finish
70012	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Pharus



70013

GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	64	<b>Dimensions</b>	Ø147 h169mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70013.E27.XX.4.\*



Number	W	Colour Temperature	Light Distribution	Finish
70013	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Antillus

70014



GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø113x201 h170mm
<b>Adjustable</b>	No



70014.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70014	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>





Clinatus

70015


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	44
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø210x124 h330mm
<b>Adjustable</b>	No



70015.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70015	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Proclivis


70016

GOOD NIGHT









Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	64	<b>Dimensions</b>	Ø154x299 h240mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	27		



70016.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70016	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Promptus


70017

GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	23	<b>Dimensions</b>	Ø404 h722mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70017.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70017	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>





lugatus


70018

GOOD NIGHT

Orichalcum Suspended



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	44	<b>Dimensions</b>	Ø124 h200mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27	<b>Chain</b>	550mm
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70018.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70018	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Cluens

70019


GOOD NIGHT

Orichalcum Suspended




OUTDOOR

SUSPENDED



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	44	<b>Dimensions</b>	Ø220 h260mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27	<b>Chain</b>	550mm
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70018.E27.XX.4.\*


Number	W	Colour Temperature	Light Distribution	Finish
70018	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Ambactus


70020

GOOD NIGHT

Orichalcum Suspended



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	44	<b>Dimensions</b>	Ø280 h320mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27	<b>Chain</b>	550mm
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70018.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70018	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Situs

70021

GOOD NIGHT


Orichalcum Suspended




OUTDOOR











Suspended




<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	44	<b>Dimensions</b>	Ø154 h250mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27	<b>Chain</b>	550mm
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70021.E27.XX.4.\*


Number	W	Colour Temperature	Light Distribution	Finish
70021	E27	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>





<b>Installation</b>	Interior
<b>Mounting Position</b>	Surface
<b>IP</b>	23
<b>Wattage</b>	max. 40W
<b>Lumen output</b>	E27
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	E27

<b>CRI</b>	E27
<b>Life Time</b>	E27
<b>Dimensions</b>	Ø460 h170mm
<b>Adjustable</b>	No
<b>Chain</b>	550mm



70022.E27.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70022	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Velum


70023

GOOD NIGHT

Orichalcum Suspended



<b>Installation</b>	Outdoor	<b>CRI</b>	E27
<b>Mounting Position</b>	Surface	<b>Life Time</b>	E27
<b>IP</b>	23	<b>Dimensions</b>	Ø404 h124mm
<b>Wattage</b>	max. 40W	<b>Adjustable</b>	No
<b>Lumen output</b>	E27	<b>Chain</b>	550mm
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	E27		



70023.E27.XX.4.\*



Number	W	Colour Temperature	Light Distribution	Finish
70023	E27	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>

Lama

70024


GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	65
<b>Wattage</b>	G9
<b>Lumen output</b>	G9
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	G9

<b>CRI</b>	G9
<b>Life Time</b>	G9
<b>Dimensions</b>	Ø67 h87mm
<b>Adjustable</b>	Yes



70024.G9.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70024	G9	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Loculus

70025


GOOD NIGHT

Orichalcum Surface











<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	GU10
<b>Lumen output</b>	GU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	GU10

<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Dimensions</b>	Ø60 h90mm
<b>Adjustable</b>	Yes



70025.GU10.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70025	GU10	XX	 4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>







Lustrum

70026


GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	GU10
<b>Lumen output</b>	GU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	GU10

<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Dimensions</b>	Ø110 h108mm
<b>Adjustable</b>	Yes



70026.GU10.XX.4.\*

Number	W	Colour Temperature	Light Distribution	Finish
70026	GU10	XX	4 Superwide	<ul style="list-style-type: none"> <li> T Raw Brass</li> <li> U Nickel matte</li> <li> V Antique Brass</li> <li> W Black Oxidation</li> <li> X Antique Cooper</li> <li> Y Matte Oxidation</li> <li> Z Pewter</li> </ul>




Pignus

70027



GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	54
<b>Wattage</b>	GU10
<b>Lumen output</b>	GU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	GU10



<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Dimensions</b>	Ø97x78 h117mm
<b>Adjustable</b>	No



70027.GU10.XX.X.\*



Number	W	Colour Temperature	Light Distribution	Finish
70027	GU10	XX	X	<ul style="list-style-type: none"> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #c08040; border-radius: 50%; margin-right: 5px;"></span> T Raw Brass</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #a0a0a0; border-radius: 50%; margin-right: 5px;"></span> U Nickel matte</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #806040; border-radius: 50%; margin-right: 5px;"></span> V Antique Brass</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #202020; border-radius: 50%; margin-right: 5px;"></span> W Black Oxidation</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #804040; border-radius: 50%; margin-right: 5px;"></span> X Antique Cooper</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #606060; border-radius: 50%; margin-right: 5px;"></span> Y Matte Oxidation</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #404040; border-radius: 50%; margin-right: 5px;"></span> Z Pewter</li> </ul>





<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	64
<b>Wattage</b>	GU10
<b>Lumen output</b>	GU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	GU10

<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Dimensions</b>	Ø108x136 h119mm
<b>Adjustable</b>	No



70028.GU10.XX.X.\*

Number	W	Colour Temperature	Light Distribution	Finish
70028	GU10	XX	X	<ul style="list-style-type: none"> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #c08040; border-radius: 50%; margin-right: 5px;"></span> T Raw Brass</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #a0a0a0; border-radius: 50%; margin-right: 5px;"></span> U Nickel matte</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #806040; border-radius: 50%; margin-right: 5px;"></span> V Antique Brass</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #202020; border-radius: 50%; margin-right: 5px;"></span> W Black Oxidation</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #804040; border-radius: 50%; margin-right: 5px;"></span> X Antique Cooper</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #606060; border-radius: 50%; margin-right: 5px;"></span> Y Matte Oxidation</li> <li><span style="display: inline-block; width: 10px; height: 10px; background-color: #404040; border-radius: 50%; margin-right: 5px;"></span> Z Pewter</li> </ul>





Formosus



70029

GOOD NIGHT

Orichalcum Surface



<b>Installation</b>	Outdoor	<b>CRI</b>	GU10
<b>Mounting Position</b>	Surface	<b>Life Time</b>	GU10
<b>IP</b>	64	<b>Dimmensions</b>	Ø60x94 h90mm
<b>Wattage</b>	GU10	<b>Adjustable</b>	No
<b>Lumen output</b>	GU10		
<b>Connection</b>	230V		
<b>Driver</b>	Not required		
<b>Dimmable</b>	GU10		



70029.GU10.XX.X.\*




Number	W	Colour Temperature	Light Distribution	Finish
70029	GU10	XX	X	<ul style="list-style-type: none"> <li>● T Raw Brass</li> <li>● U Nickel matte</li> <li>● V Antique Brass</li> <li>● W Black Oxidation</li> <li>● X Antique Cooper</li> <li>● Y Matte Oxidation</li> <li>● Z Pewter</li> </ul>

Ervum

70030



GOOD NIGHT

Orichalcum Surface




<b>Installation</b>	Outdoor
<b>Mounting Position</b>	Surface
<b>IP</b>	44
<b>Wattage</b>	2xGU10
<b>Lumen output</b>	2xGU10
<b>Connection</b>	230V
<b>Driver</b>	Not required
<b>Dimmable</b>	GU10

<b>CRI</b>	GU10
<b>Life Time</b>	GU10
<b>Dimensions</b>	Ø60x107 h160mm
<b>Adjustable</b>	No



70030.GU10.XX.\*\*

Number	W	Colour Temperature	Light Distribution	Finish
70030	2xGU10	XX	X	<ul style="list-style-type: none"> <li>● T Raw Brass</li> <li>● U Nickel matte</li> <li>● V Antique Brass</li> <li>● W Black Oxidation</li> <li>● X Antique Cooper</li> <li>● Y Matte Oxidation</li> <li>● Z Pewter</li> </ul>





# Orichalcum Supplementum

70999

GOOD NIGHT

Orichalcum Surface



Installation	Outdoor
Mounting Position	Surface
Connection	230V

70999.\*\*.\*\*.\*\*

Number	Finish
70999	T Raw Brass
	U Nickel matte
	V Antique Brass
	W Black Oxidation
	X Antique Cooper
	Y Matte Oxidation
	Z Pewter

Good Night Lighting Special Products is the result of a passion for light, of a deep knowledge about lighting and a long experience in lights. It comes with the intention to bring good light to all areas, to make them more pleasant and appealing, by adapting to their particular needs and making lighting synonymous with beauty and atmosphere.

We understand our products as quality lighting solutions based on technology, design and awareness of light that only experience can provide. Our lights are carefully selected to meet the requirements that allow us to fulfill our commitment in terms of comfort, quality and guarantee

#### Contact us

Good Night Lighting  
Santiago Rusiñol, 14 nave B5  
Pol. Ind. Can Humet de Dalt  
08213 - Polinyà  
Barcelona

+34 935 285 434  
info@goodnight-lighting.com  
www.goodnight-lighting.com



# GOOD NIGHT

Graphic design  
EXITDESIGN

Product photography  
EXITDESIGN

Good Night assumes no liability or responsibility for any errors or omissions in the content of this catalogue.

Good Night reserves the right to alter any model or characteristics without prior notice.

This catalogue replaces all previous catalogues.

Good Night® is a registred trademark.

[www.goodnight-lighting.com](http://www.goodnight-lighting.com)